



small  
equipment

amana  
anvil  
berkel  
hamilton beach  
hatco  
hobart  
kitchen-aid  
pelouze  
robot coupe  
star  
sunkist  
univex  
warig  
zojirushi

**Amana**<sup>®</sup>

**univex**

Hamilton Beach  
COMMERCIAL

**ANVIL**  
AMERICA

**WARING**<sup>®</sup>

**pelouze**<sup>®</sup>

**STAR**<sup>®</sup>

**Hatco**<sup>®</sup>

**robot coupe**<sup>®</sup>

**KitchenAid**<sup>®</sup>

**Berkel**

 **ZOJIRUSHI**

**HOBART**  
CORPORATION

**Sunkist**

glassware

plasticware

flatware

dinnerware

holloware

steak knives

smallwares

bar supplies



large equip

service



food & bar blenders



**REPROGRAMMABLE WITH SOUND ENCLOSURE\***

- Polycarbonate sound enclosure
- mx1500xt: 64-oz poly container
- mx1500xts: 64-oz steel container
- mx1500xtp: 48-oz stackable polycarbonate container



**HI-POWER BLENDER W/TIMER**

- High/Low and Pulse paddle switches
- 30-second electronic countdown timer
- mx1100xt: 64-oz poly container
- mx1100xts: 64-oz steel container
- mx1100xtp: 48-oz stackable polycarbonate container



**HI-POWER BLENDER**

- Easy-to-clean membrane keypad
- mx1050xt: 64-oz poly container
- mx1050xts: 64-oz steel container
- mx1050xtp: 48-oz stackable polycarbonate container



**HI-POWER BLENDER**

- High/Low and Pulse paddle switches
- mx1000xt: 64-oz poly container
- mx1000xts: 64-oz steel container
- mx1000xtp: 48-oz stackable polycarbonate container

\*Sound enclosures available separately.

sound enclosures

drink mixer



**BLENDFAST™**  
hpb305

- 1.5 hp motor
- 27,000+ RPM
- 48-oz. poly container



**BASIC**  
#573663 (bb150)

- 1/2 hp motor
- 48-oz. poly container



**MARGARITA MADNESS®**  
#195685 (mmb142)

- 1.5 hp motor
- 48-oz. poly container



**SMALL ENCLOSURE**  
se500

- fits Commercial Xtreme 48 oz. jars



**LARGE ENCLOSURE**  
#623806 (se1000)

- fits Commercial Xtreme Half-Gallon jars



**SINGLE HEAD DRINK MIXER**  
#558168 (dmc20)

- 2-speed motor w/ rubber mounts
- auto start/stop
- includes 2 agitators
- available in 220/240 volts

immersion blenders



**LIGHT-DUTY QUIK STIK®**  
#445193 (wsb33)

- 2-speed control
- high efficiency motor
- lightweight & compact
- all-purpose stainless steel blade



**MEDIUM-DUTY QUIK STIK PLUS**  
wsb40

- 1/2 hp 2-speed motor
- 10" fixed shaft
- 6-gallon, 24-qt capacity



**HEAVY-DUTY BIG STIX®**  
#402303 (wsb50)

- 1 hp variable-speed motor
- 18,000 rpm max speed
- continuous on feature
- 12" removable shaft
- 10-gallon, 40-qt capacity



**HEAVY-DUTY BIG STIX®**  
#402265 (wsb60)

- 1 hp variable-speed motor
- 18,000 rpm max speed
- continuous on feature
- 16" removable shaft
- 25-gallon, 100-qt capacity



**HEAVY-DUTY BIG STIX® W/ WHISK ATTACHMENT**  
wsbppw

- 1 hp variable-speed motor
- 18,000 rpm max speed
- continuous on feature
- 10" Stainless Steel whisk



**COUNTERTOP DEEP FRYER**

wdf75rc/wdf75b

- 3 lb. capacity
- hinged heating element
- 30-minute timer
- 120V and 208V models available



**4-SLICE MEDIUM-DUTY TOASTER**

#558400 (wct708)

- 225 slices per hour
- accommodates bagels in all 4 slots
- removable crumb trays



**COMMERCIAL BELGIAN WAFFLE MAKER**

#558044 (ww150)

- die-cast housing
- delivers up to 25 Belgian waffles/hour
- triple-coated nonstick plates
- audio beep completion signal

**food processors**



**PRO FOOD PROCESSOR**

#647870 (wfp11)

- 3/4 hp motor
- 2.5 qt capacity
- feed chute
- flat cover model available



**PRO FOOD PROCESSOR**

wfp14fc

- 1 hp motor
- 3.5 qt capacity
- feed chute model available



**PRO FOOD PROCESSOR**

#558222 (fp25c)

- 1 hp motor
- 2.5 qt capacity
- continuous-feed chute
- stainless steel bowl available



**PRO PREP® CHOPPER GRINDER**

wcg75

- 3/4 hp motor
- 3/4 qt capacity
- 2 separate bowl & blade assemblies (grinding & chopping)

**juice machines**



**JUICE EXTRACTOR**

6001c

- quickly juices fruits & vegetables, pulp-free
- available in 220/240 V



**JUICE EXTRACTOR W/ PULP EJECTION**

#647934 (wix50)

- 1.3 hp, 1000 W motor
- 2-speed operation
- 13,000 rpm



**BAR JUICER**

bj120c

- compact design
- quiet motor
- includes 1 Liter serving container (not shown)
- available in 220/240 V



**COMMERICAL STAND MIXER**

wsm7q

- 1+ hp, 850-watt motor
- 12 mixing speeds
- 7-qt stainless steel bowl with handles
- tilt-back head

glassware

plasticware

flatware

dinnerware

holloware

steak knives

smallwares

bar supplies



large equip

service



**908™ BLENDER**

#122165 (hbb908)

- 2-speeds
- 9 lbs
- 3/8 hp
- Includes base and 44 oz polycarbonate container



**SINGLE SPINDLE MIXER**

#575496 (hmd200)

- 3-speeds
- 14 lbs
- 1/3 hp
- Includes base, spindle, agitator and cup



**TRIPLE SPINDLE MIXER**

#218367 (hmd400)

- 3-speed rocker switch
- 37 lbs
- 1/3 hp per motor
- Includes base, 3 motors, 3 spindles, 3 agitators, and 3 cups



**JUICER**

#422533 (96700)

- stainless steel container
- 3 reamer sizes
- 3/8 hp motor



**COMBINATION FOOD PROCESSOR**

r2dice

- 2 hp, single phase motor
- 1,725 rpm
- 3-quart cutter bowl
- includes vegetable prep attachment, 2 disc & dicing kit



**VEGETABLE PREP MACHINE**

cl50d

- 1.5 hp, single phase motor
- 425 rpm
- includes vegetable prep attachment with half moon and cylindrical hoppers



**TURBO POWER MIXER 450**

mp450

- 1.1 hp motor
- 12,000 rpm
- 18" shaft
- includes stainless steel wall support



**COMMERCIAL 5 SERIES**

km25g0x

- 450 watts
- 10 mixing speeds
- 5 qt mixing bowl with handle
- bowl-lift design



**PROLINE® METALLIC BLENDER**

kpcb348p

- 3 speeds
- pulsing available at all speeds
- Step Start® starts slowly then steps up to selected speed



**BAR BLENDER**

kcb148sgr

- 1 hp motor
- 21,000 rpm
- Step Start® starts slowly then steps up to selected speed

glassware

plasticware

flatware

dinnerware

holloware

steak knives

smallwares

bar supplies



large equip

service



**mixers**



**PREMIER SERIES**  
#632880 (mix9180)



**GOLD SERIES**  
#617636 (mix7110)

Transmission	Voltage/Amperage	Power (hp)	Volume (qt.)	Dimensions (in.)	Model
cogged belt with gears	110/11	1/2	20	16 x 17 x 33	#632945 (mix9120)
	110/16	1	30	21 x 23 x 46	#617636 (mix9130)
	220/12	1 1/2	40	24 x 26 x 50	#632945 (mix9140)
	220/21	2	60	28 x 32 x 58	mix9160
	220/21	3	80	28 x 40 x 60	mix9180
direct drive with gears	110/6	1/3	10	14 x 18 x 22	# 617458 (mix7110)
	110/11	1/2	20	16 x 17 x 33	#617334 (mix7120)
	220/11	1/2	20	16 x 17 x 33	mix8120
	110/16	1	30	21 x 23 x 46	#618055 (mix7130)
	220/12	1 1/2	40	24 x 26 x 50	#617342 (mix8140)
	220/21	3	60	28 x 32 x 58	mix8160

**slicers**



**HEAVY DUTY SLICER**  
slr7912

Meat Usage	Cheese Usage	Blade Diam.	Volts/ Amps	Power (hp)	Dimensions (in.)	Model
30 min	No	9"	110/1.2	0.25	16 x 18 x 15	#618128 (slr7009)
30 min	No	10"	110/1.5	0.3	17 x 21 x 16	#618659 (slr7010)
1 hr	10 min	12"	110/1.5	0.3	20 x 22 x 16	#617873 (slr7312)
3 hrs	30 min	12"	110/2.5	0.5	19 x 25 x 17	#617270 (slr7012)
3 hrs	3 hrs	12"	110/2.5	0.5	19 x 25 x 17	#617644 (slr7412)
5 hrs	3 hrs	12"	110/2.5	0.5	20 x 26 x 18	#637645 (slm7012)
non-stop	non-stop	12"	110/2.5	0.5	20 x 26 x 18	#618110 (slr7512)
non-stop	non-stop	12"	110/4.7	0.75	26 x 26 x 24	#617881 (slr7912)

**presses**



**SANDWICH PRESS**  
tsa7109



**ITALIAN PANINI GRILL**  
tsi8002

Description	Top Plate	Bottom Plate	Volts/ Amps	Power (kW)	Dimensions (in.)	Model
sandwich press	single, flat	flat	110/17	1.8	14 x 19 x 23	#617393 (tsa7009)
coated sandwich press	single, flat	flat	110/17	1.8	14 x 19 x 23	#618187 (tsa7109)
sandwich press with timer	double, flat	flat	220/15	3.3	28 x 19 x 13	tsa8318
coated sandwich press w/timer	double, ribbed	flat	220/15	3.3	28 x 19 x 13	tsa8418
panini-style sandwich press	single, ribbed	ribbed	110/17	1.8	14 x 19 x 23	#618535 (tsa7209)
coated panini-style press	single, ribbed	ribbed	110/17	1.8	14 x 19 x 23	#617997 (tsa7309)
coated panini-style press w/timer	double, ribbed	ribbed	220/15	3.3	28 x 19 x 13	tsa8218
super size sandwich press	single, flat	flat	110/17	1.8	18 x 23 x 13	#617520 (tsa7012)
Italian panini grill	single, ribbed	ribbed	110/16	1.7	15 x 15 x 8	#632163 (tsi7001)
	double, ribbed	ribbed	220/16	3.4	21 x 15 x 8	#617768 (tsi8002)

**meat grinders**



**GRINDER NO. 12**  
min0012



**GRINDER NO. 22**  
min0022

Volts/ Amps	Power (hp)	Dimensions (in.)	Model
110/5	1	9 x 16 x 18	#632821 (min0012)
110/12	1.5	11 x 20 x 22	#617695 (min0022)

glassware

plasticware

flatware

dinnerware

holloware

steak knives

smallwares

bar supplies



large equip

service

scales



**Y-LINE MECHANICAL PORTION CONTROL SCALES**

Model	Max Capacity
a012r	25.0 lb
a12r	32.0 oz
a22r	5.0 lb
y16r	16.0 oz
y200r	32.0 oz
y32r	32.0 oz
y50	50.0 lb
yg1000r	1000 g
yg180r	5.0 lb
yg400r	25.0 lb
yg425r	25.0 lb
yg450r	50.0 lb
yg500r	500 g
yg800r	50.0 lb



**HIGH PERFORMANCE DIGITAL PORTION CONTROL SCALES**

Model	Max Capacity (lb.)
fs12-88	12.0
fs2p-88	2.0
fs6-88	6.0



**BRIEFCASE/UTILITY MECHANICAL RECEIVING SCALES**

Model	Max Capacity (lb.)
p100s	100
p250s	250
p250ss	250

glassware  
plasticware  
flatware  
dinnerware  
holloware  
steak knives  
smallwares  
bar supplies  
large equip  
service



**SECTIONER**  
s106

- sections fruit
- cores apples and pears
- safer than a knife
- Made of sturdy ABS plastic



**JUICER**  
j1

- juices 10-12 gal/hr
- removable parts dishwasher-safe
- heavy-duty motor



Model	Dial size (in.)	Weight (lb.)	Graduations (oz.)
ups-71	7	1	1/8
ups-72	7	2	1/4
ups-72r	7	2	1/4
ups-75	7	5	1/2
ups-810	8	10	1
ups-820	8	20	1
ups-840	8	40	2
ups-960	9	60	4
ups-9100	9	100	4



**RICE BOX**



**THERMOS**



**Amana**



glassware

plasticware

flatware

dinnerware

holloware

steak knives

smallwares

bar supplies



large equip

service

